

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/737,016	12/12/2003	Richard W. Levaughn	2G02.1-080

23506
 GARDNER GROFF, P.C.
 PAPER MILL VILLAGE, BUILDING 23
 600 VILLAGE TRACE
 SUITE 300
 MARIETTA, GA 30067

CONFIRMATION NO. 5580

FORMALITIES LETTER



OC000000013082770

Date Mailed: 06/28/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch). See Figures(s) 26A, 28A, 35.

Replies should be mailed to: Mail Stop Missing Parts
 Commissioner for Patents
 P.O. Box 1450
 Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



Serial No.: 10/737,016
Attorney Docket No.: 2G02.1-080
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: LEVAUGHN et al.)	
)	
Serial No.: 10/737,016)	Group Art Unit: 3764
)	
Filing Date: December 12, 2003)	Examiner: N/A
)	
For: "BLOOD SAMPLING DEVICE")	
)	

RESPONSE TO NOTICE TO FILE MISSING PARTS

Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

GARDNER GROFF, P.C.
Paper Mill Village, Building 23
600 Village Trace, Suite 300
Marietta, Georgia 30067

July 20, 2004

Dear Sir:

Please find enclosed in response to the NOTICE TO FILE CORRECTED APPLICATION PAPERS dated June 28, 2004:

- One copy of Notice to File Corrected Application Papers
- Return Postcard plus postage
- Replacement Sheets for Drawing Figures 26A, 28A and 35, with margins as specified in the Notice

The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment, to Deposit Account Number **50-1513**. This Response is believed to be timely. However, if any extension of time is necessary, please consider this a request therefor.

Respectfully submitted,




Bradley K. Groff
Reg. No. 39,695

GARDNER GROFF, P.C.
Paper Mill Village, Building 23
600 Village Trace, Suite 300
Marietta, Georgia 30067
Tel: (770) 984-2300
Fax: (770) 984-0098

W:\Client Files\BKG Clients\2G02-Facet\2G02.1-080 Blood Sampling Device (U.S. Nat Phase)\0018.pat (Response to Notice to Corrected Application Papers).wpd

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated below:



Bradley K. Groff

July 20, 2004

Date